

FIG. 1






FIG. 2



## FIG. 3

CASE1.	domain=<Web Server name>;path=/ (3) Set-Cookie:name1=value1;domain=www.abc.com;path=/ (4) Set-Cookie:name1=value1;path=/com/abc/www/_
CASE2.	domain=<domain name of Web Server>;path=/ (3) Set-Cookie:name1=value1;domain=abc.com;path=/ (4) Set-Cookie:name1=value1;path=/com/abc/
CASE3.	domain=<Web Server name>;path!=/ (3) Set-Cookie:name1=value1;domain=www.abc.com;path=/path1/ (4) Set-Cookie:name1=value1;path=/com/abc/www/_path1/
CASE4.	domain=<domain name of Web Server>;path!=/ NOT SUPPORTED

FIG. 4



5/12

## FIG. 5

NAME1	www.abc.com
NAME2	www.abc.com, www2.abc.com, www3.sub.abc.com
NAME3	www3.sub.abc.com


6/12

FIG. 6

A3:www.abc.com	http://rproxy.ijk.com/com/abc/www/_/... Cookie:name1=value1;name2=value2;
B3:www2.abc.com	http://rproxy.ijk.com/com/abc/www2/_/... Cookie:name2=value2;
C3:www3.sub.abc.com	http://rproxy.ijk.com/com/abc/sub/www3/_/... Cookie:name2=value2;name3=value3;
D3:www.xyz.com	http://rproxy.ijk.com/com/xyz/www/_/... (NO COOKIE HEADER)

7/12

FIG. 7



8/12

## FIG. 8

(RES1)	<p>HTTP/ 1.1 200 OK Content-Type: Text/ html Content-Length: ... Set-Cookie: sessionid=001;path=/ ;domain=abc.com; (OTHER HTTP HEADERS)</p> <pre>&lt;html&gt; &lt;head&gt; &lt;title&gt;XXX&lt;/title&gt; &lt;/head&gt; &lt;body&gt; &lt;h1&gt;Welcome&lt;/h1&gt; &lt;p&gt;Menu &lt;ol&gt; &lt;li&gt;&lt;a href="/menu1.html" &gt; Menu 1&lt;/a&gt;&lt;/li&gt; &lt;li&gt;&lt;a href="/menu2.html" &gt; Menu 2&lt;/a&gt;&lt;/li&gt; &lt;li&gt;&lt;a href="/menu3.html" &gt; Menu 3&lt;/a&gt;&lt;/li&gt; &lt;/ol&gt; &lt;/body&gt; &lt;/html&gt;</pre>
--------	--

9/12


## FIG. 9

(RES2)	<p>HTTP/ 1.1 200 OK Content-Type: Text/ html Content-Length: ... Set-Cookie: sessionid=001;path=/ com/ abc/ ; (OTHER HTTP HEADERS)</p> <pre>&lt;html&gt; &lt;head&gt; &lt;title&gt;XXX&lt;/title&gt; &lt;/head&gt; &lt;body&gt; &lt;h1&gt;Welcome&lt;/h1&gt; &lt;p&gt;Menu &lt;ol&gt; &lt;li&gt;&lt;a href=“ /menu1.html” &gt; Menu 1&lt;/a&gt;&lt;/li&gt; &lt;li&gt;&lt;a href=“ /menu2.html” &gt; Menu 2&lt;/a&gt;&lt;/li&gt; &lt;li&gt;&lt;a href=“ /menu3.html” &gt; Menu 3&lt;/a&gt;&lt;/li&gt; &lt;/ol&gt; &lt;/body&gt; &lt;/html&gt;</pre>
--------	--

## FIG. 10

(RES3)	<p>HTTP/ 1.1 200 OK Content-Type: Text/ html Content-Length: ... Set-Cookie: sessionid=001;path=/ com/ abc/ ; (OTHER HTTP HEADERS)</p> <pre>&lt;html&gt; &lt;head&gt; &lt;title&gt;XXX&lt;/title&gt; &lt;/head&gt; &lt;body&gt; &lt;h1&gt;Welcome&lt;/h1&gt; &lt;p&gt;Menu &lt;ol&gt; &lt;li&gt;&lt;a href="/ com/ abc/ www/_menu1.html" &gt; Menu 1&lt;/a&gt;&lt;/li&gt; &lt;li&gt;&lt;a href="/ com/ abc/ www/_menu2.html" &gt; Menu 2&lt;/a&gt;&lt;/li&gt; &lt;li&gt;&lt;a href="/ com/ abc/ www/_menu3.html" &gt; Menu 3&lt;/a&gt;&lt;/li&gt; &lt;/ol&gt; &lt;/body&gt; &lt;/html&gt;</pre>
--------	---

FIG. 11



12/12

FIG. 12

<PREFIX>	WEB SERVER
prefix1	www.abc.com
prefix2	www.xyz.com
:	: